

## WEST Search History for Application 10574243

Creation Date: 2009082911:58

### Interference Searches

| Query  | DB   | Op. | Plur. | Thes. | Date       |
|--|------|-----|-------|-------|------------|
| ((writ \$ or record \$) same (medi \$ 2 or dis \$ 2 or carrier)) and (control \$ same temp \$ same (record \$ or writ \$) same (area \$ or portion \$ or section \$)) and (temporary near4 (record \$ or writ \$) near4 (area \$ 2 or section \$ or port \$)) and ((swith \$ or chang \$ or select \$) near10 mode \$ 2)).clm. | PGPB | ADJ | YES   |       | 08-29-2009 |
| ((writ \$ or record \$) same (medi \$ 2 or dis \$ 2 or carrier)) and (control \$ same temp \$ same (record \$ or writ \$) same (area \$ or portion \$ or section \$)) and (temporary near4 (record \$ or writ \$) near4 (area \$ 2 or section \$ or port \$))).clm.  | PGPB | ADJ | YES   |       | 08-29-2009 |
| ((writ \$ or record \$) same (medi \$ 2 or dis \$ 2 or carrier)) and (temporary near4 (record \$ or writ \$) near4 (area \$ 2 or section \$ or port \$))).clm.   | PGPB | ADJ | YES   |       | 08-29-2009 |
| ((writ \$ or record \$) same (medi \$ 2 or dis \$ 2 or carrier)) and (temporary near4 (record \$ or writ \$) near4 (area \$ 2 or section \$ or port \$)) and ((swith \$ or chang \$ or select \$) near10 mode \$ 2)).clm.  | PGPB | ADJ | YES   |       | 08-29-2009 |

### Prior Art Searches

| Query   | DB   | Op. | Plur. | Thes. | Date       |
|---|--|-----|-------|-------|------------|
| (writ\$ or record\$) same (medi\$2 or dis\$2 or carrier)                                | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES   |       | 08-29-2009 |
| control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES   |       | 08-29-2009 |

|  |  |     |     |  |            |
|--|--|-----|-----|--|------------|
| <b>temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$)</b>   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| <b>transfer\$ near5 rate\$</b>   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| <b>(transfer\$ near5 rate\$ ) near5 (low\$ or reduc\$)</b>   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| <b>stor\$ same mem\$ same tabl\$</b>   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| <b>(check\$ or detect\$ or determin\$ or identify\$) near10 (blank or empty or free) same (medi\$2 or dis\$2 or carrier)</b>                                       | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| <b>(swicth\$ or chang\$ or select\$) near10 mode\$2</b>  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| <b>((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier) ) same (control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) )</b> | PGPB,<br>USPT,<br>USOC,<br>EPAB,                           | ADJ | YES |  | 08-29-2009 |

|  |  |     |     |  |            |
|--|--|-----|-----|--|------------|
|  | JPAB,<br>DWPI,<br>TDBD                                     |     |     |  |            |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier)<br>same control\$ same temp\$ same (record\$ or writ\$)<br>same (area\$ or portion\$ or section\$) ) same l  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier)<br>same control\$ same temp\$ same (record\$ or writ\$)<br>same (area\$ or portion\$ or section\$) ) same<br>(temporary near4 (record\$ or writ\$) near4 (area\$2<br>or section\$ or port\$) )   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier)<br>same control\$ same temp\$ same (record\$ or writ\$)<br>same (area\$ or portion\$ or section\$) same<br>temporary near4 (record\$ or writ\$) near4 (area\$2 or<br>section\$ or port\$) ) same (transfer\$ near5 rate\$ )  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier)<br>same control\$ same temp\$ same (record\$ or writ\$)<br>same (area\$ or portion\$ or section\$) same<br>temporary near4 (record\$ or writ\$) near4 (area\$2 or<br>section\$ or port\$) ) and (transfer\$ near5 rate\$ )   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier)<br>same control\$ same temp\$ same (record\$ or writ\$)<br>same (area\$ or portion\$ or section\$) same<br>temporary near4 (record\$ or writ\$) near4 (area\$2 or<br>section\$ or port\$) and transfer\$ near5 rate\$ ) and<br>(transfer\$ near5 rate\$ near5 (low\$ or reduc\$) ) | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| (transfer\$ near5 rate\$ near5 (low\$ or reduc\$) ) and<br>(temporary near4 (record\$ or writ\$) near4 (area\$2<br>or section\$ or port\$) )   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
|  |  | ADJ | YES |  | 08-29-2009 |

|   |  |     |     |  |            |
|---|--|-----|-----|--|------------|
| (transfer\$ near5 rate\$ near5 (low\$ or reduc\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) ) and (temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) )  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD |     |     |  |            |
| (transfer\$ near5 rate\$ near5 (low\$ or reduc\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) ) and (control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) )  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| (transfer\$ near5 rate\$ near5 (low\$ or reduc\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) and control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) ) and ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier) )                                   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| (transfer\$ near5 rate\$ near5 (low\$ or reduc\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) and control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) and (writ\$ or record\$) same (medi\$2 or dis\$2 or carrier) ) and (stor\$ same mem\$ same tabl\$ ) | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier) ) and (control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) )  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier) and control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) ) and (temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) )  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier) and control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) and temporary   | PGPB,<br>USPT,<br>USOC,                                    | ADJ | YES |  | 08-29-2009 |

|   |  |     |     |  |            |
|---|--|-----|-----|--|------------|
| near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) ) and (transfer\$ near5 rate\$ )  | EPAB,<br>JPAB,<br>DWPL,<br>TDBD                            |     |     |  |            |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier) and control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) and transfer\$ near5 rate\$ ) and (transfer\$ near5 rate\$ near5 (low\$ or reduc\$) )   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPL,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier) and control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) and transfer\$ near5 rate\$ and transfer\$ near5 rate\$ near5 (low\$ or reduc\$) ) and (stor\$ same mem\$ same tabl\$ )   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPL,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier) and control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) and transfer\$ near5 rate\$ and transfer\$ near5 rate\$ near5 (low\$ or reduc\$) ) and ((check\$ or detect\$ or determin\$ or identify\$) near10 (blank or empty or free) same (medi\$2 or dis\$2 or carrier) ) | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPL,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((writ\$ or record\$) same (medi\$2 or dis\$2 or carrier) and control\$ same temp\$ same (record\$ or writ\$) same (area\$ or portion\$ or section\$) and temporary near4 (record\$ or writ\$) near4 (area\$2 or section\$ or port\$) and transfer\$ near5 rate\$ and transfer\$ near5 rate\$ near5 (low\$ or reduc\$) ) and ((swicth\$ or chang\$ or select\$) near10 mode\$2 )  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPL,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((check\$ or detect\$ or determin\$ or identify\$) near10 (blank or empty or free) same (medi\$2 or dis\$2 or carrier) ) and ((swicth\$ or chang\$ or select\$) near10 mode\$2 )  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPL,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((check\$ or detect\$ or determin\$ or identify\$) near10 (blank or empty or free) same (medi\$2 or dis\$2 or carrier) and (swicth\$ or chang\$ or select\$) near10 mode\$2 ) and (stor\$ same mem\$ same tabl\$ )  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPL,         | ADJ | YES |  | 08-29-2009 |

|   |  |     |     |  |            |
|---|--|-----|-----|--|------------|
|   | TDBD   |     |     |  |            |
| ((check\$ or detect\$ or determin\$ or identify\$)<br>near10 (blank or empty or free) same (medi\$2 or<br>dis\$2 or carrier) and (swicth\$ or chang\$ or select\$)<br>near10 mode\$2 and stor\$ same mem\$ same tabl\$ )<br>and (transfer\$ near5 rate\$ near5 (low\$ or reduc\$) )   | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((check\$ or detect\$ or determin\$ or identify\$)<br>near10 (blank or empty or free) same (medi\$2 or<br>dis\$2 or carrier) and (swicth\$ or chang\$ or select\$)<br>near10 mode\$2 and stor\$ same mem\$ same tabl\$<br>and transfer\$ near5 rate\$ near5 (low\$ or reduc\$) )<br>and ((writ\$ or record\$) same (medi\$2 or dis\$2 or<br>carrier) )  | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((check\$ or detect\$ or determin\$ or identify\$)<br>near10 (blank or empty or free) same (medi\$2 or<br>dis\$2 or carrier) and (swicth\$ or chang\$ or select\$)<br>near10 mode\$2 and stor\$ same mem\$ same tabl\$<br>and transfer\$ near5 rate\$ near5 (low\$ or reduc\$)<br>and (writ\$ or record\$) same (medi\$2 or dis\$2 or<br>carrier) ) and (control\$ same temp\$ same (record\$<br>or writ\$) same (area\$ or portion\$ or section\$) ) | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |
| ((check\$ or detect\$ or determin\$ or identify\$)<br>near10 (blank or empty or free) same (medi\$2 or<br>dis\$2 or carrier) and (swicth\$ or chang\$ or select\$)<br>near10 mode\$2 and stor\$ same mem\$ same tabl\$<br>and transfer\$ near5 rate\$ near5 (low\$ or reduc\$)<br>and (writ\$ or record\$) same (medi\$2 or dis\$2 or<br>carrier) ) and (temporary near4 (record\$ or writ\$)<br>near4 (area\$2 or section\$ or port\$) )             | PGPB,<br>USPT,<br>USOC,<br>EPAB,<br>JPAB,<br>DWPI,<br>TDBD | ADJ | YES |  | 08-29-2009 |